

DAFTAR PUSTAKA

- Abdullah. (2001). *Tafsir Ibnu Kastir Jilid 2*. Bogor: Pustaka Imam Asy-Syafi'i
- ARMIADI. (2009). Penambatan Nitrogen Secara Biologis Pada Tanaman Leguminosa. *Wartazoa*, 19 (1), 23–30.
- Al-Neem. (2008). Influence of water stress on water use efficiency and dry-hay production of alfalfa in Alabsa. *International Journal of Soil Science. Academic J. Inc*, 3(3), 119 – 126.
- Bai Y, D'Aoust F, Smith DL & Driscoll BT. (2002). Isolation of plant growth promoting Bacillus strains from soybean root nodules. *Can. J. Microbiol.* 48: 230-238.
- Bai Y, Zhou X & Smith DL. (2003). Enhanced soybean plant growth resulting from coinoculation of Bacillus strains with *Bradyrhizobium japonicum*. Crop ecology, management and quality. *Crop Science*. 43: 1774-1781.
- Ball, A.M.T. (2008). Subarctic N Fixation in Monoculture Alfalfa and Mixed Alfalfa/Grass Forage swards. *Thesis*. The University of British Columbia.
- Belanger, G., & Rhicards, J. . (2000). Dynamic of Biomass and N Accumulation of Alfalfa Under Three N Fertilization Rates. *Plant Soil*, 219, 177–185.
- Barber, L.D., B.C. Joern, J.J. Volenec, & S.M. Cunningham. (1996). Supplemental nitrogen effects on alfalfa regrowth and nitrogen mobilization from roots. *Crop Scie.* 36:1217-1223.
- Brooks, G. F, J. S. Butel & S. A. Morse. (2005). *Mikrobiologi Kedokteran Jilid 1*. Terjemah E. Mudihardi, Kuntaman, E.B. Wasito, N. M. Mertaniasih, S. Harsono, dan L Alimarsodo. Jakarta: Salemba Medika
- Carlson, R. W., Forsberg, L. S., Price, N. P. J., Bhat, U. R., Kelly, T. M., and Raetz, C. R. H. (1995) The structure and biosynthesis of Rhi- zobium leguminosarum lipid A. In Progress in Clinical and Biological Research,

Vol. 392: Bacterial Endotoxins: Lipopolysaccharides from Genes to Therapy: Proceedings of the Third Conference of the International Endotoxin Society, held in Helsinki, Finland, on August 15-18, 1994, J. Levin et al., eds., John Wiley and Sons, New York, pp. 25–31.

Chapman, A.L & R.J.K. Myers. (1987). Nitrogen contribution by grain legumes to rice growth in rotation on the cuncunura soil of the irrigation area West Australia. *Aust. J. Exp. Agri.* 27: 155 – 163.

Deka, A. & Azad, P. (2006). Isolation of Rhizobial strains cultural and Biocemical Characteristic legume. *Residium*, 29 (3), 209–212.

Dewi, A., & Ratna, I. (2009). Fiksasi N Biologis pada Ekosistem Tropis. Retrieved from <http://repository.unpad.ac.id/handle/123456789/1833>

Dwijoseputro. (2005). *Dasar-Dasar Mikrobiologi*. Malang: Djambatan

Etzler, M. E., Kalsi, G., Ewing, N. N., Roberts, N. J., Day, R. B., and Murphy, J. B. (1999) A nod factor binding lectin with apyrase activity from legume roots. *Proc. Natl. Acad. Sci. USA* 96: 58565861.

Everes, G.W. (2004). Nitrogen fixation from the air: How does it work? *Pasture and forages article*. Southern Livestock. San Antonio.

Faqih, A. K. (2006). *Tafsir Nurul Quran*. (S. A. S. Amili & R. Mulyono, Trans., R. Suharto, A. Mulyadi, & W. Arto, Eds.). Jakarta: Al-Huda.

Freeyer, B. (2004). Biological Nitrogen Fixation of Different Legume Species Under Water Stress. University of Natural Resources and Applied Life Sciences Institute of Organic Farming. Gregor Mandel Strasse 33. Vienna, Austria.

Garbutt, J. (1997). *Essential of Food Microbiology*. London: Arnold

Gardner Franklin P, R. Brent Pearce & Mitchell Roger L. (1991). *Fisiologi Tanaman Budidaya*. Jakarta: UI Press.

- Graham, P. H. (1969). Selective Medium for Growth of Rhizobium. *Applied Microbiology*, 17(5), 769–770.
- Hidayat, N., Padaga, M. C., & Suhartini, S. (2006). *Mikrobiologi Industri* (I). Yogyakarta: Penerbit ANDI.
- Holl FB. (1975). Host Plant Control of the Inheritance of Dinitrogen Fixation in the *Pisum-Rhizobium* Symbiosis. *Euphytica* 24:767-70.
- Holt, J., Kreig, N. R., Sneath, P. H. A., Staley, J. T., & Willims, S. T. (2000). *Bergey's Manual of Diterminative Bacteriologi*. Baltimore: Williamn And Wilkins Baltimore.
- Hoy, D.M., K.J. Mooere, J.R. George & E. C. Brummer. (2002). Alfalfa yield and quality as influenced by establishment method. *Agro. J.* 94: 65 – 71.
- Itis. (2008). *Mikrobiologi Dasar untuk Praktikum*. Unsu Press. Sumatra Utara
- Kim, T.H., A. Ourry, J. Boucaud, and G. Lemaire. (1993). Partitioning of nitrogen derived from N fixation and reserves in nodulated *Medicago sativa* L. during regrowth. *J. Exp. Botan.* 44:555-562.
- Kusnadi. (2007). *Akidah Islam Dalam Konteks Ilmiah Populer*. Jakarta. Amzah
- Lacefield, G.D; J.C. Henning, M. Rasnake & M. Collins. (2011). *Alfalfa the Queen of Forage Crops*. Cooperative Extention Service. University Kentucky.
- Laila.I.N. (2005). Alfalfa Tanaman Tertua yang Kini Mulai Dikembangkan di Semarang. *Jawa Pos*. Jawa tengah. (diakses hari selasa tanggal 1 Maret 2014).

- Lazarowitz, S. G., and Bisseling, T. (1997) Plant development from the cellular perspective: Integrating the signals (Cellular Integration of Signaling Pathways in Plant Development, Acquafredda de Maratea, Italy, May 20–30, 1997). *Plant Cell* 9: 1884–1900.
- Limpens, E. & T. Bisseling. (2003). Signaling In Symbiosis. *Current Opinion In Plant Biology* 8: 343 – 350.
- Loynochan, T. (2005). *Nitrogen Fixation by Forage legumes*. Department of Agronomy. Iowa State University. Ames. 6 p.
- Long, S.R. (1996). Rhizobium Symbiosis: Nod Factors Inperspective. 8: 1885 – 1898.
- Lubis, D.A. (1992). *Ilmu Makanan Ternak*. Jakarta, PT. Pembangunan.
- Mannetje, L. & R.M. Jones. (2000). *Sumber Daya Nabati Asia Tenggara*, Bogor, PT Balai Pustaka
- Martensson, A.M. and H.D. LJUNGGREN. (1984). Nitrogen Fixation in An Establishing Alfalfa (*M. sativa* L.) Ley in Sweden, estimated by three different methods. *American Soc. for Microbiol.* 48(4).
- Mureus R, Polone E, Sulas L, Baldan B, Tondello A, Delogu G, Cappuccinelli P, Alberghini S, Benhizia Y, Benhizia H, Benguedouar A, Mori B, Calamassi R, Dazzo FB, & Squartini A. (2008). Coexistence of predominantly nonculturable rhizobia with diverse, endophytic bacterial taxa within nodules of wild legumes. *FEMS Microbiol. Ecology* 63: 383-400
- Mylona, P., Pawlowski, K., and Bisseling, T. (1995) Symbiotic nitrogen fixation. *Plant Cell* 7: 869–885
- Norman, L. 2005. *Biochemical Test for Identifying unknowns*. Web.fccj.edu/inorman/unknowns.html?index=2. Tanggal akses 24 Januari 2014

- Novariani. (2011). Peran Rhizobium dalam Meningkatkan Ketersediaan Nitrogen bagi Tanaman Kedelai. *Agrobisnis*, 3, 35–42.
- Obilisami, G. (2005). on In Vitro Growth of Five Species of ectomycorrhizal fungi. *Euro. J. for Patho*, 1-7, 204–210.
- Parman, S. (2007). `Kandungan Protein dan Abu Tanaman Alfalfa (*Medicago sativa* L) setelah Pemupukan Biorisa. *Bioma*, 9(2), 38–44.
- Pelczar, M.J. & E.C.S. Chan, (1986), Penterjemah , Ratna Siri Hadioetomo, Teja Imas, S. Sutarmi Tjitrosomo, & Sri Lestari. *Dasar-Dasar Mikrobiologi 1*, Jakarta. Universitas Indonesia Press.
- Prayudi, T. (2003). Dampak Industri Pengecoran Logam Terhadap Kualitas Gas NO₂ Dalam Udara Ambien Di Daerah Ceper. *Jurnal Teknologi Lingkungan*, 4(1). Retrieved from <http://kelair.bppt.go.id/Jtl/2003/vol4-1/05ceper.pdf>
- Rajendran G, Sing F, Desai AJ & Archana G. (2008). Enhanced growth and nodulation of pigeon pea by coinoculation of Bacillus strains with Rhizobium spp. *Bio. Tech*. 99: 4544-4550.
- Radovic, J., D. Sokolovic dan J. Markovic. (2009). Alfalfa Most Important Perennial Forage Legume in Animal Husbandry. Biotechnology in Animal Husbandry. *Institute for animal Husbandry*, Belgrade-Zenum. 25(5 – 6): 465 – 475.
- Rahmawati, N. (2005). *Pemanfaatan Biofertilizer Pada Pertanian Organik*. Fakultas Pertanian Universitas Sumatera Utara. Medan
- Rao, Subba. N. S. (1994). *Mikroorganisme Tanah dan Pertumbuhan Tanaman*. UI Press. Jakarta
- Raun, W.R., G.V. Johnson, S.B. Phillips, W.E. Thomason, J.L. Dennis, and D.A. Cossey. (1999) Alfalfa yield response to nitrogen applied after each cutting. *American J. Soil Scie. Soc*. 63:12371243.

- Rolfe, B. G., and Gresshoff, P. M. (1988) Genetic analysis of legume nodule initiation. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 39: 297–320.
- Russle. M. (2004). *The environmental impacts of N₂ fixation by alfalfa*. Proc. National Alfalfa Symposium. San Diego.
- Salisbury F.B. & Ross.C.W.(1992). Terjemahan Lukman & Sumaryono (1995). *Fisiologi Tumbuhan. Jilid I,II dan III. Edisi ke empat*. Penerbit ITB. Bandung.
- Shahzad, F., Shafee, M., Abbas, F., Babar, S., Tariq, M. ., & Ahmad, Z. (2012). Isolation and Biochemical Characterization of Rhizobium Meliloti From Root Nodules of Alfafa (*Madicago Sativa*). *The J. of Animal & Plant Scie*, 22(2), 522–524.
- Simanungkalit, R. D. M., Saraswati, R., Hastuti, R. D., & Husen, E. (2009). 6. BAKTERI PENAMBAT NITROGEN. Retrieved from <http://balittanah.litbang.deptan.go.id/dokumentasi/buku/pupuk/pupuk6.pdf>
- Soegiri, Ilyas, H. S., & Damayanti. (1982). *Mengenal Beberapa Jenis Hijauan Makanan Ternak Daerah Tropik*. Direktorat Bina Produksi Peternakan. Direktorat Jendral Peternakan Departemen Pertanian, Jakarta.
- Stocmal A, Piacente S, Pizza C, De Riccadis F, Leitz R & Oleszek W. (2001). Alfalfa (*Medicago sativa* L) Flavonoids. Apigenin and Luteolin glycosides from aerial parts. *J. Agri. Food Chem.*. Entrez PubMed.
- Stokkermans, T. J. W., Ikeshita, S., Cohn, J., Carlson, R. W., Stacey, G., Ogawa, T., and Peters, N. K. (1995) Structural requirements of synthetic and natural product lipo-chitin oligosaccharides for induction of nodule primordia on *Glycine soja*. *Plant Physiol.* 108: 1587–1595.
- Sturz AV, Christie BR, Matheson BG & Nowak J. (1997). Biodiversity of endophytic bacteria which colonize red clover nodules, roots, stems and foliage and their influence on host growth. *Bio. Ferti. Soil.* 25: 13-19.
- Subantoro, R. (2009). Mengenal Karakter Tanaman Alfalfa (*Madicago sativa* L). *Ilmu-Ilmu Pertanian*, 5(2), 50–62.
- Susetyo, S. (1980). *Padang Penggembalaan*. Bogor. Departemen Ilmu Makanan Ternak. Fakultas Peternakan IPB.

- Sutanto, R., (2002). *Penerapan Pertanian Organik. Permayarakatan dan Pengembangannya*. Yogyakarta: Penerbit Kanisius.
- Taiz, L, & zeiger, E. (2002). *Plant Physicologi* (3rd ed.). Sunderland: Sinauer Associates.
- Tim Tafsir Kementrian Agama RI. (2010). *Al-Quran dan Tafsirnya (Edisi yang Disempurnakan)*. Jakarta: Lentera Abadi.
- Timmers, A. C. J., Auriac, M. –C., and Truchet, G. (1999) Refined analysis of early symbiotic steps of the Rhizobium-Medicago: Interaction in relation with microtubular cytoskeleton rearrangements. *Development* 126: 3617-3628
- Travis, J. (2007). *Attack of The Cannibalistic Bacteria*. [Http://www.phschool.com/attack_cannibalis_bact.jpg&imagefurl](http://www.phschool.com/attack_cannibalis_bact.jpg&imagefurl) tanggal akses 7 Februari 2014
- Utami, U. (2005). *Isolasi Bakteri Endofit Penghasil Antimikroba Dari Tanaman Rhizopora Musronata*. Malang : Uin Press
- van Rhijn, P., Goldberg, R. B., and Hirsch, A. M. (1998) *Lotus corniculatus* nodulation specificity is changed by the presence of a soybean lectin gene. *Plant Cell* 10: 1233–1249.
- Winarso, S. (2005). *Kesuburan Tanah Dasar Kesehatan dan Kualitas Tanah*. Yogyakarta: Gaya Media
- (<http://commtechlab.msu.edu>) diakses pada tanggal 12 April 2014
- Yousef, A.E & C. Clastrom. 2003. *Food Microbiology (A Laboratory Manual)*. Wiley-interscience, John Wiley and Sons, Inc. Ohio State University. USA
- Zahran, H. . (1999). Rhizobium-Legume Symbiosis and Nitrogen Fixation under Serve Condition and in an Ared Climate. *Microbiology and Molecular Biology Review*, 63(4), 968–989.
- Zakhia F, Jeder H, Domergue O, Willems A, CleyetMarel CJ, Gillis M, Dreyfus B & de Lajudie P. (2006). Characterisation of wild legume nodulating bacteria (LNB) in the infraarid zone of Tunisia. *systematic and applied microbiology*. 27: 380-395.